Expand Details++

7/

Novel 2,5-di:substd. 3-chloro:pyridine(s) - useful in stable components in ferro-electric or nematic liq. crystal mixts. for surfaces or displays.

Assignee:

HOECHST AG Standard company (FARH...)

Inventor:

JUNGBAUER D; MANERO J; SCHLOSSER H;

Accession / Update:

1994-359178 / 199725

IPC Code:

C07D 213/61; C07F 5/02; C07D 213/62; C07D 213/64; C07D 213/65; C07D 213/79; C07D 213/83; C07D 401/06; C07D 401/12; C07D 403/10; C07D 405/06; C07D 405/12;

C07D 405/14; C07D 417/12; C07F 7/04; C09K 19/34; G02F 1/13; G09F 9/35;

Derwent Classes:

E13; L03; P81; P85; U11; V07; E11;

Manual Codes:

E05-E01(Heterocyclic or aromatic with Si-C bond), E07-A02C(Tetrahydrofuran with =O, no -O- substituents), E07-A03B(Other oxiran), E07-A04(Ring with more than one O) E07-D04B(Pyridine production), E07-D10(Pyr(id)azine, excluding piperazine), E07-D12 (Pyrimidine), E07-F03(Others), L03-D01D1(Liquid crystal compounds), U11-A03A

(Liquid crystal material, compounds, additives), V>7-K10A()

Derwent Abstract

DERWENT

RECORD

(DE4315867A) 3-Chloropyridines of formula (I) are new. In (I), R1 and R2 = H, F, CI, CN, NCS, CF3, OCF3, OCHF2, 1-16C alkyl (opt. with asymmetric C, opt. with 1 or 2 non-adjacent CH2 replaced by -O-, -S-, -CO- -CO.O-, O.CO-, -CO-S-, -S.CO-, -O-CO.O-, -CH=CH-, -CC-, 1,2-cyclopropylene or -Si(Me)2 - and opt. with 1 or more of the alkyl H substd. by F, Cl, Br or CN), or one of the chiral gps. of formula (II)-(XV); A1-A4 = 1,4-phenylene, pyrazin-2,5-diyl, pyridazin-3,6-diyl, pyridin-2,5-diyl, pyrimidin-2,5-diyl(opt. with 1 or 2 H replaced by F), trans-1,4-cyclohexylene (opt. with 1 or 2H replaced by CN), (1,3,4)- thiadiazol-2,5-diyl, 1,3-dioxan-2,5-diyl, naphthalen-2,6-diyl, bicyclo (2.2.2) octan-1,4-diyl or 1,3-dioxaborinan-2, 5-diyl; M1-M4 = -O-, -S-, -CO-, CO.O-, -O.CÓ-, -CO-S-, -S.CO-, -O-CO.O-, -CH2.O-, -O.CH2-, -CH2.CH2-,-CH=CH= or -CC-; R3, R4, R6 and R7 = H or 1-16C alkyl or R3/R4 together form (CH2)4- or -(CH2)5 when substd. on a dioxolan system; M5 = -CH2.O-, -CO.O-, -O.CH2-, O.CO- or a single bond; and k-r = 0 or 1, with k+m+p+r above 0 but less than 4. Also claimed are (i) prepn. of (I) by converting 3-CI-2-hydroxypyridine in a no. of stages to 2,5-di-Br-3-chloropyridine and then replacing both Br with the required gps; and (ii) liq. crystal mixts. contg. (I) and switching or display devices comprising such a mixt. together with a carrier, electrodes, polariser and orientation film. .

ADVANTAGE (I) are (photo) chemically stable cpds. with low m.pt. and wide liq. crystal phases, esp. wide nematic, smectic A and smectic C phases, used together with 2-20 (esp. 2-15) components in ferroelectric or nematic liq. crystal mixts.

Abstract info:

DE4315867A: Dwg.0/0, US5629428: Dwg.0/0

Images:

Patent Pub. Date DW Update Pages Language **IPC Code** DE4315867A1 * Nov. 17, 1994 199445 German C07D 213/61 Local appls.: DE1993004315867 ApplDate:1993-05-12 (93DE-4315867) US5629428 = May 13, 1997 199725 16 English C07F 5/02 Local appls.: US1994000240240 ApplDate:1994-05-10 (94US-0240240) JP6340629A = Dec. 13, 1994 C07D 213/61 Local appls.: <u>JP1994000098767</u> ApplDate:1994-05-12 (94JP-0098767)

Priority Number:

Family:

Application Number	Application Date	Original Title	
		3-CHLORPYRIDINE, VERFAHREN ZU IHRER HERSTELLUNG UND IHRE VERWENDUNG IN FLUESSIGKRISTALLMISCHUNGEN	

Chemical Indexing Codes:

Show chemical indexing codes

Markush Compound

Numbers:

Show Markush numbers

Ring Index Numbers:

Show ring index numbers

Related Accessions:

Accession Number	Туре	Derwent Update	Derwent Title			
C1994-163836	С					
N1994-281412	N					
2 items found						

Title Terms:

NOVEL DI SUBSTITUTE CHLORO PYRIDINE USEFUL STABILISED COMPONENT FERRO ELECTRIC NEMATIC LIQUID CRYSTAL MIXTURE SURFACE DISPLAY



